

# Copy of How do we measure inpatient care of small and sick newborns? An...



SUMMARY → **DESIGN SURVEY** → COLLECT RESPONSES → ANALYZE RESULTS    SCORE MY SURVEY    PREVIEW & TEST    **NEXT →**

QUESTION BANK    ?    ^

Search for questions

Recommended Questions >

Previously Used Questions >

All Categories >

Community >

Customer Feedback >

Customer Satisfaction >

Demographics >

**BUILDER**    ?    v

**THEMES**    ?    v

**LOGIC**    ?    v

**OPTIONS**    ?    v

PRINT

P1: Participant ... v

Page Logic v

More Actions v



## Copy of How do we measure inpatient care of small and sick newborns? An online survey from the Every Newborn Action Plan

### Participant information and consent

**An estimated 2.7 million newborns die each year - many of these deaths occur in small and sick babies.** Many newborn lives could be saved, and illness prevented, with timely provision of quality inpatient care for small and sick newborns. Standardised measurement of emergency obstetric care has improved tracking and accountability using indicators based on “signal functions”, to monitor the availability and use of emergency obstetric care (EmOC) services. However, signal functions to track service readiness to provide inpatient care of small and sick newborns are not consistently defined or routinely tracked.

The term “small and sick newborns”, as used in the Every Newborn Action Plan (ENAP), and for the purpose of this consultation, encompasses all those newborns who require inpatient care to survive, including those with systemic infections, intrapartum insults, pathological jaundice and preterm infants, whose immaturity increases the risk of respiratory and other complications, and most of whom need support to feed and maintain their temperature. For more information see: <http://bmcpregnancychildbirth.biomedcentral.com/articles/10.1186/1471-2393-15-S2-S7>

As an input for the ENAP metrics measurement improvement roadmap, in collaboration with the World Health Organization (WHO), London School of Hygiene and Tropical Medicine (LSHTM), Saving Newborn Lives, Save the Children, Averting Maternal Death and Disability (AMDD) and UNICEF, this is an online survey to define signal functions for inpatient care for small and sick newborns. This consultation is a follow up to an expert focus group held by the ENAP metrics group in April 2016 that identified 13 core newborn interventions that services should be ready to provide at a basic and advanced inpatient level. The survey is aimed at maternal and newborn health experts, clinicians with neonatal experience, investigator groups, researchers and programme managers, such as yourself, so please share widely among your colleagues and professional networks.

If you have any further questions relating to the study, or would like a copy of the participant information sheet, please email Sarah Moxon on the following email address: [enapmetrics@lshtm.ac.uk](mailto:enapmetrics@lshtm.ac.uk)

\* 1. Do you consent to participating in this survey?



⊕ NEW QUESTION ▼

or [Copy and paste questions](#)

Next

New version available!

Saving changes...

Powered by



See how easy it is to [create a survey](#).

⊕ NEW PAGE

P2: Background... ▼

Page Logic ▼

More Actions ▼



Copy of How do we measure inpatient care of small and sick newborns? An online survey from the Every Newborn Action Plan

Background details

\* 2. What is your gender?

- Female
- Male
- Other (please specify)

\* 3. What is your age?

- 18 to 24
- 25 to 34
- 35 to 44



- 45 to 54
- 55 to 64
- 65 to 74
- 75 or older

⊕ NEW QUES

New version available!

Saving changes...

or [Copy and pas](#)

Prev

Next

Powered by



See how easy it is to [create a survey](#).

⊕ NEW PAGE

P3: About your... ▾

Page Logic ▾

More Actions ▾



Copy of How do we measure inpatient care of small and sick newborns? An online survey from the Every Newborn Action Plan

About your occupation

\* 4. Which of the following best describes your occupation? If you have more than one role, please select all that apply.

- Programme management
- Research
- Technical assistance



- Clinician (nursing)
- Clinician (midwifery)
- Clinician (medical doctor)
- Allied health professional
- Charity employee
- Non-governmental organisation employee

Other (please specify)

New version available!

Saving changes...

[+ NEW QUESTION](#)

or [Copy and paste questions](#)

Prev

Next

Powered by



See how easy it is to [create a survey](#).

[+ NEW PAGE](#)

P4: About your... ▾

Page Logic ▾

More Actions ▾



Copy of How do we measure inpatient care of small and sick newborns? An online survey from the Every Newborn Action Plan

About your experience

\* 5. In what country do you currently work?  
(If you work in multiple countries, indicate the country in



which you are based)

\* 6. How many years have you worked in maternal and newborn health?

0 more than 50

New version available!

Saving changes...

\* 7. Do have experience in low- and middle- income settings?

- Yes, all of my experience is in low- and middle-income settings
- Yes, I have a mix of experience of working in low- and middle-income settings and higher-income settings
- No, I have only worked in higher-income settings

8. For clinicians only - what type(s) of health facility have you worked in?

- Public hospital
- Private hospital
- NGO or field hospital
- Public health centre
- Private health centre

Other (please specify)

9. For clinicians only - in which countries have you practiced clinically?

- |                     |                       |
|---------------------|-----------------------|
| Afghanistan         | <input type="radio"/> |
| Albania             | <input type="radio"/> |
| Algeria             | <input type="radio"/> |
| Andorra             | <input type="radio"/> |
| Angola              | <input type="radio"/> |
| Antigua and Barbuda | <input type="radio"/> |
| Argentina           | <input type="radio"/> |
| Armenia             | <input type="radio"/> |
| Australia           | <input type="radio"/> |
| Austria             | <input type="radio"/> |
| Azerbaijan          | <input type="radio"/> |



- Bahamas
- Bahrain
- Bangladesh
- Barbados
- Belarus
- Belgium
- Belize
- Benin
- Bhutan
- Bolivia (Plurinational State of)
- Bosnia and Herzegovina
- Botswana
- Brazil
- Brunei Darussalam
- Bulgaria
- Burkina Faso
- Burundi
- Cabo Verde
- Cambodia
- Cameroon
- Canada
- Central African Republic
- Chad
- Chile
- China
- Colombia
- Comoros
- Congo
- Costa Rica
- Côte D'Ivoire
- Croatia
- Cuba
- Cyprus
- Czech Republic
- Democratic People's Republic of Korea
- Democratic Republic of the Congo

New version available!

Saving changes...



- Denmark
- Djibouti
- Dominica
- Dominican Republic
- Ecuador
- Egypt
- El Salvador
- Equatorial Guinea
- Eritrea
- Estonia
- Ethiopia
- Fiji
- Finland
- France
- Gabon
- Gambia
- Georgia
- Germany
- Ghana
- Greece
- Grenada
- Guatemala
- Guinea
- Guinea Bissau
- Guyana
- Haiti
- Holy See
- Honduras
- Hungary
- Iceland
- India
- Indonesia
- Iran (Islamic Republic of)
- Iraq
- Ireland
- Israel
- Italy
- Jamaica

New version available!

Saving changes...



- Japan
- Jordan
- Kazakhstan
- Kenya
- Kiribati
- Kuwait
- Kyrgyzstan
- Lao People's Democratic Republic
- Latvia
- Lebanon
- Lesotho
- Liberia
- Libya
- Liechtenstein
- Lithuania
- Luxembourg
- Madagascar
- Malawi
- Malaysia
- Maldives
- Mali
- Malta
- Marshall Islands
- Mauritania
- Mauritius
- Mexico
- Micronesia (Federated States of)
- Monaco
- Mongolia
- Montenegro
- Morocco
- Mozambique
- Myanmar
- Namibia
- Nauru
- Nepal
- Netherlands

New version available!

Saving changes...





- New Zealand
- Nicaragua
- Niger
- Nigeria
- Norway
- Oman
- Pakistan
- Palau
- Panama
- Papua New Guinea
- Paraguay
- Peru
- Philippines
- Poland
- Portugal
- Qatar
- Republic of Korea
- Republic of Moldova
- Romania
- Russian Federation
- Rwanda
- Saint Kitts and Nevis
- Saint Lucia
- Saint Vincent and the Grenadines
- Samoa
- San Marino
- Sao Tome and Principe
- Saudi Arabia
- Senegal
- Serbia
- Seychelles
- Sierra Leone
- Singapore
- Slovakia
- Slovenia
- Solomon Islands
- Somalia

New version available!

Saving changes...



- South Africa
- South Sudan
- Spain
- Sri Lanka
- State of Palestine
- Sudan
- Suriname
- Swaziland
- Sweden
- Switzerland
- Syrian Arab Republic
- Tajikistan
- Thailand
- The former Yugoslav Republic of Macedonia
- Timor-Leste
- Togo
- Tonga
- Trinidad and Tobago
- Tunisia
- Turkey
- Turkmenistan
- Tuvalu
- Uganda
- Ukraine
- United Arab Emirates
- United Kingdom of Great Britain and Northern Ireland
- United Republic of Tanzania
- United States of America
- Uruguay
- Uzbekistan
- Vanuatu
- Venezuela (Bolivarian Republic of)
- Vietnam
- Yemen

New version available!

Saving changes...



Zambia

Zimbabwe

Other (please specify)

[+ NEW QUES](#)

New version available!

Saving changes...

or [Copy and pas](#)

Prev

Next

Powered by



See how easy it is to [create a survey](#).

[+ NEW PAGE](#)

P5: Selecting si... ▾

Page Logic ▾

More Actions ▾



Copy of How do we measure inpatient care of small and sick newborns? An online survey from the Every Newborn Action Plan

Selecting signal functions for inpatient care of small and sick newborns

**Signal functions should be considered as a core list of life-saving facility level services that are aimed at averting the main complications that lead to newborn death and disability.**

**Care at birth:** This is not part of inpatient care for small and sick newborns, but should be available for all babies at birth at all facilities where births take place.

**Basic inpatient care for small and sick newborns:** This service is part of inpatient care for small and sick newborns. This is similar to what is referred to as special care, or level 2 care, in many higher-



income settings. Basic inpatient care signal functions are interventions for small and sick newborns in addition to care provided for all babies at birth.

**Comprehensive inpatient care for small and sick newborns:** This service is part of comprehensive inpatient care for extremely small and sick newborns. In most settings this will only be available at the highest level of hospitals or facilities. This is similar to what is referred to as neonatal intensive care (NICU), or level 3 care, in many higher-income settings. Comprehensive inpatient care signal functions are interventions for extremely small and sick newborns in addition to all services provided at the basic inpatient care level.

New version available!

Saving changes...

- \* 10. Below are a list of signal function facilities. For each signal function, please indicate whether you think it is an appropriate signal function for
- Care at birth (available for all newborns)
  - Basic inpatient care (for small and sick newborns)
  - Comprehensive inpatient care (for extremely small and sick newborns) only
  - Not a newborn care signal function at all

	Care for all newborns	Basic inpatient care	Comprehensive inpatient care	Not a signal function
Thermal protection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Comments	<input type="text"/>			
Essential newborn care (immediate and thorough drying, placing the baby skin to skin, delayed cord clamping, hygienic cord care)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Comments	<input type="text"/>			
Immediate and exclusive breastfeeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Comments	<input type="text"/>			
Resuscitation for newborns not breathing spontaneously at birth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Comments	<input type="text"/>			
Prevention of mother to child transmission for babies of HIV positive mothers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



Care for all newborns    Basic inpatient care    Comprehensive inpatient care    Not a signal function

Comments

Kangaroo mother care for premature/small babies, including follow-up

          

Comments

New version available!

Saving changes...

Alternative feeding if baby unable to breastfeed (cup feeding and/or nasogastric tube feeding)

          

Comments

Safe administration of oxygen

          

Comments

Intravenous antibiotics for neonatal infection

          

Comments

Intravenous fluids

          

Comments

Prevention and management of hypoglycaemia

          

Comments

Effective phototherapy

          

Comments

Seizure management

          

Comments

Continuous positive airway pressure (CPAP)

          



Care for all newborns    Basic inpatient care    Comprehensive inpatient care    Not a signal function

Comments

Mechanical/assisted ventilation, including intubation

                                                                

Comments

New version available!

Neonatal blood transfusion

                    

Saving changes...

Comments

Screening and treatment for retinopathy of prematurity

                                                                

Comments

Specialised clinical follow up of high risk infants

                                                                

Comments

[+ NEW QUESTION](#) ▼

or [Copy and paste questions](#)

Prev

Next

Powered by



See how easy it is to [create a survey](#).

[+ NEW PAGE](#)





Copy of How do we measure inpatient care of small and sick newborns? An online survey from the Every Newborn Action Plan

Other signal functions for inpatient care of :

New version available!

Saving changes...

Do you think there are other signal functions for inpatient care of small and sick newborns that should be measured?

11. What other signal functions do you think should be considered for basic inpatient care of small and sick newborns?

12. What other signal functions do you think should be considered for comprehensive care of extremely small and sick newborns?

+ NEW QUESTION



or [Copy and paste questions](#)

Prev

Next

Powered by



See how easy it is to [create a survey](#).





New version available!

Saving changes...

Copy of How do we measure inpatient care of small and sick newborns? An online survey from the Every Newborn Action Plan

Further contact with the ENAP metrics research team

There is a chance that we may want to follow up some participants on specific details or invite you to participate in a further consultation. If you would prefer not to be contacted and remain anonymous, you do not have to fill in this section.

\* 13. Would you like to be contacted again by the ENAP metrics research team? ↔

- No, I do not want to be contacted.
- Yes, I would be happy for the ENAP metrics research team to contact me again.

⊕ NEW QUESTION ▾

or [Copy and paste questions](#)

Prev

Next

Powered by



See how easy it is to [create a survey](#).







Copy of How do we measure inpatient care of small and sick newborns? An online survey from the Every Newborn Action Plan

Contact details

New version available!

Saving changes...

14. What is your first name?

15. What is your last name?

16. At what email address would you like to be contacted?

⊕ NEW QUESTION

or [Copy and paste questions](#)

Prev

Done

Powered by



See how easy it is to [create a survey](#).

⊕ NEW PAGE



ENGLISH

[About SurveyMonkey](#) • [Careers](#) • [Developers](#) • [Privacy Policy](#) • [Email Opt-In](#) • [Help](#)  
Copyright © 1999-2018 SurveyMonkey



New version available!

Saving changes...

