

COST OF ABORTIONS

Drugs, materials and consumables used in treating abortion complications (Unofficial translation)

This questionnaire comprise 6 parts :

Part A : Patients suffering from incomplete abortion

Part B : Patients suffering from sepsis/infection

Part C : Patients suffering from haemorrhage

Part D : Patients suffering from shock

Part E : Patients suffering from of vagina or cervix laceration/perforation

Partie F : Patients suffering from uterus laceration/perforation

PART A : Patients suffering from incomplete abortion

N°	Name of input	Percent of outpatients suffering from incomplete abortion who received this input 0%=no women 100%=all women	Percent of inpatients suffering from incomplete abortion who received this input 0%=no women 100%=all women	Unit (mg =milligram, mcg =microgram, ml =milliliter ui =international unit unit =unit, piece...)	Average number of basic units given per outpatient who receives this input	Average number of basic units given per inpatient who receives this input
(1)	(2)	(3)	(4)	(5)	(6)	(7)
A1	Percent of women suffering from incomplete abortion who are treated as outpatients 0%=none treated as outpatients 100%=All treated as outpatients					
	1. Antibiotics					
A12	Amoxicillin 500mg			mg		
A13	Ampicillin, 1gram, powder for inj			mg		
A14	Ampicillin, tablets, 500mg			mg		
A15	Ceftriaxon, 1g, , powder for inj			mg		
A16	Chloramphenicol, 1g, for injection					
A17	Ciprofloxacin, 500mg			mg		
A18	Doxycycline 100mg			mg		
A19	Gentamycin 80mg/2ml for injection			mg		
A110	Metronidazole injection 5mg/ml, 100ml			mg		
A111	Metronidazole 500mg vaginal			mg		
	2. Analgesics					
A21	Acetylsalicylic acid, 100mg			mg		
A22	Diazepam, 10mg/2ml, for injection (valium)			mg		
A23	Diclofenac sodium, 75mg/3ml, for injection			mg		
A24	Diclofenac 100mg, rectal suppository			mg		
A25	Butilhisocin, 20g/ml, 1ml, for injection			mg		

PART A : Patients suffering from incomplete abortion

A26	Ibuprofen 400mg, film coated			mg		
A27	Metronidazole 500mg (metamizole)			mg		
A28	Paracetamol, tablets, 500mg			mg		
A29	Pethidine hydrochloride 50mg/ml, 1ml, for injection			mg		
	3. Intravenous fluid replacement					
A31	Ringer lactate, 1000ml, pvc bag			ml		
A32	Glucose isotonic 5%, intravenous solution 500ml, bag/bottle			ml		
A33	Glucose 5% + sodium chloride 0,9% IV, solution 500ml bag/bottle			ml		
A34	Sodium chloride 0,9%, 1000ml, bag			ml		
	4. Control of bleeding					
A41	Ergotamine 1mg+caffeine 100mg			mg		
A42	Ergometrine maleate 0,2 mg			mg		
A43	Oxytocin 10ui/ml, 1ml, for injection			ui		
A44	Misoprostol 20mg			mg		
A45	Dypron, dipyrone 250mg/ml, 2ml, injection			mg		
	5. Lab tests					
A51	Glycemy, PK50			unit		
A52	GS/Rh 200tests, 10 ml			ml		
A53	Blood lancet, disposable			unit		
A54	Blood taking set with needle, disposable			unit		
A55	Ethanol 70% denaturated, 1 liter			ml		
A56	Gauze compresse 5*5cm (per 5 pieces)			unit		
A57	Hemoglobin test			unit		
A58	Hepatitis C rapid test			unit		

PARTA : Patients suffering from incomplete abortion

A59	Seringe 5ml with bypacked needle 21G			unit		
A510	Ultrasound procedure			unit		
A511	Urine collecting bag 2000ml, with tap and valve			unit		
	6. Operating theater supplies					
A61	Seringe 10ml, bypacked needle 21G			ml		
A62	Seringe 60ml+catheter			ml		
A63	Gloves examination, latex, large, disposable			unit		
A64	Cotton hydrophile, 500g			mg		
A65	Gauze compresse 5*5cm, 12ply, non sterile			unit		
A66	Ehanol 70%, denaturated, 1liter			ml		
A67	Cetrimide 15% + chlorhexidine gluconate 1,5%, 1liter			ml		
A68	Misoprostol, 200mg			mg		
A69	Povidone iodine solution, 0.1, 200ml			ml		
A610	Sanitary pad			unit		
	7. Anesthetics/sedatives					
A71	Atropine 1mg/ml, 1ml for injection			mg		
A72	Diazepam, 10mg/2ml, for injection			mg		

PART B : Patients suffering from sepsis/infection						
N°	Name of input	Percent of outpatients suffering from sepsis/infection who received this input 0%=no women 100%=all women	Percent of inpatients suffering from sepsis/infection who received this input 0%=no women 100%=all women	Unit (mg =milligram, mcg =microgram, ml =milliliter ui =international unit unit =unit, piece...)	Average number of basic units given per outpatient who receives this input	Average number of basic units given per inpatient who receives this input
B1	Percent of women suffering from sepsis/infection who are treated as outpatients 0%=none treated as outpatients 100%=All treated as outpatients					
	1. Antibiotics					
B12	Amoxicillin 500mg			mg		
B13	Ampicillin, 1gram, powder for inj			mg		
B14	Ampicillin, tablets, 500mg			mg		
B15	Ceftriaxon, 1g, , powder for inj			mg		
B16	Chloramphenicol, 1g, for injection			mg		
B17	Ciprofloxacin, 500mg			mg		
B18	Doxycycline 100mg			mg		
B19	Gentamycin 80mg/2ml for injection			mg		
B110	Metronidazole injection 5mg/ml, 100ml			mg		
B111	Metronidazole 500mg vaginal			mg		
	2. Intravenous fluid replacement					
B21	Ringer lactate, 1000ml, pvc bag			ml		
B22	Glucose isotonic 5%, intravenous solution 500ml, bag/bottle			ml		
B23	Glucose 5% + sodium chloride 0,9% IV, solution 500ml bag/bottle			ml		
B24	Sodium chloride 0,9%, 1000ml, bag			ml		
	3. Management of respiration					
B31	Oxygen, 100000ml			ml		

PART B : Patients suffering from sepsis/infection

PART B : Patients suffering from sepsis/infection					
	4. Lab tests				
B41	Glycemy, PK50			unit	
B42	GS/Rh 200tests, 10 ml			ml	
B43	Blood lancet, disposable			unit	
B44	Blood taking set with needle, disposable			unit	
B45	Ethanol 70% denaturated, 1 liter			ml	
B46	Gauze compresse 5*5cm (per 5 pieces)			unit	
B47	Hemoglobin test			unit	
B48	Hepatitis C rapid test			unit	
B49	Syringe 5ml with bypacked needle 21G			unit	
B410	Ultrasound procedure			unit	
B411	Urine collecting bag 2000ml, with tap and valve			unit	
	5. Others				
B51	Tetanus vaccine 20 doses (unit)			unit	
B52	Ferrous sulphate 200mg + folic acid 0,25mg			mg	
B53	Dypron, dipyron 250mg/ml, 2ml, injection			unit	
	6. Anesthetics/sedatives				
B61	Atropine 1mg/ml, 1ml for injection			mg	
B62	Diazepam, 10mg/2ml, for injection			mg	
B63	Fentanyl 0,1mg/2ml, for injection			mg	
B64	Halothane 250ml			ml	
B65	Ketamine 50mg/ml, 10ml for injection			mg	
B66	Lidocaine HCl 1%, 20ml for injection			ml	
B67	Lidocaine hydrochloride+ epinephrine			ml	
B68	Lidocaine HCl 5%+dextrose 7,5%, 2ml for injection			ml	
B69	Thiopental sodium 1g, powder for injection			mg	
B610	Suxamethonium chloride 100mg/2ml for injection			mg	

PART C : Patients suffering from haemorrhage

N°	Name of input	Percent of outpatients suffering from haemorrhage who received this input 0%=no women 100%=all women	Percent of inpatients suffering from haemorrhage who received this input 0%=no women 100%=all women	Unit (mg =milligram, mcg =microgram, ml =milliliter ui =international unit unit =unit, piece...)	Average number of basic units given per outpatient who receives this input	Average number of basic units given per inpatient who receives this input
C1	Percent of women suffering from haemorrhage who are treated as outpatients 0%=none treated as outpatients 100%=All treated as outpatients					
1. Respiration management						
C1	Oxygen, 100000ml			ml		
2. Control bleeding						
C21	Ergotamine 1mg+caffeine 100mg			mg		
C22	Ergometrine maleate 0,2 mg			mg		
C23	Oxytocin 10ui/ml, 1ml, for injection			ui		
C24	Misoprostol 20mg			mg		
C25	Dypron, dipyron 250mg/ml, 2ml, injection			mg		
3. Analgesics						
C31	Acetylsalicylic acid, 100mg			mg		
C32	Diazepam, 10mg/2ml, for injection (valium)			mg		
C33	Diclofenac sodium, 75mg/3ml, for injection			mg		
C34	Diclofenac 100mg, rectal suppository			mg		
C35	Butilhisocin, 20g/ml, 1ml, for injection			mg		
C36	Ibuprofen 400mg, film coated			mg		
C37	Metronidazole 500mg (metamizole)			mg		
C38	Paracetamol, tablets, 500mg			mg		
C39	Pethidine hydrochloride 50mg/ml, 1ml, for injection			mg		

PART C : Patients suffering from haemorrhage

4. Intravenous fluid replacement					
C41	Ringer lactate, 1000ml, pvc bag			ml	
C42	Glucose isotonic 5%, intravenous solution 500ml, bag/bottle			ml	
C43	Glucose 5% + sodium chloride 0,9% IV, solution 500ml bag/bottle			ml	
C44	Sodium chloride 0,9%, 1000ml, bag			ml	
C45	Polygeline 4%, 500ml (gelofusine, hemacel)			ml	
C46	Dextrose 2,5%+NaCl 0,45%, 1000ml bag			ml	
				ml	
5. Blood transfusion					
C51	Blood, unit, 500ml			unit	
C52	Ferrous sulphate 200mg + folic acid 0,25mg			mg	
6. Lab tests					
C61	Glycemy, PK50			unit	
C62	GS/Rh 200tests, 10 ml			ml	
C63	Blood lancet, disposable			unit	
C64	Blood taking set with needle, disposable			unit	
C65	Ethanol 70% denaturated, 1 liter			ml	
C66	Gauze compresse 5*5cm (per 5 pieces)			unit	
C67	Hemoglobin test			unit	
C68	Hepatitis C rapid test			unit	
C69	Syringe 5ml with bypacked needle 21G			unit	
C610	Ultrasound procedure			unit	
C611	Urine collecting bag 2000ml, with tap and valve			unit	

PART C : Patients suffering from haemorrhage

7. Anesthetics/sedatives					
C71	Atropine 1mg/ml, 1ml for injection			mg	
C72	Diazepam, 10mg/2ml, for injection			mg	
C73	Fentanyl 0,1mg/2ml, for injection			mg	
C74	Halothane 250ml			ml	
C75	Ketamine 50mg/ml, 10ml for injection			mg	
C76	Lidocaine HCl 1%, 20ml for injection			ml	
C77	Lidocaine hydrochloride+ epinephrine			ml	
C78	Lidocaine HCl 5%+dextrose 7,5%, 2ml for injection			ml	
C79	Thiopental sodium 1g, powder for injection			mg	
C710	Suxamethonium chloride 100mg/2ml for injection			mg	

PART D : Patients suffering from shock

N°	Name of input	Percent of outpatients suffering from shock who received this input 0%=no women 100%=all women	Percent of inpatients suffering from shock who received this input 0%=no women 100%=all women	Unit (mg =milligram, mcg =microgram, ml =milliliter ui =international unit unit =unit, piece...)	Average number of basic units given per outpatient who receives this input	Average number of basic units given per inpatient who receives this input
D1	Percent of women suffering from shock who are treated as outpatients 0%=none treated as outpatients 100%=All treated as outpatients					
1. Management of respiration						
D11	Oxygen, 100000ml			ml		
2. Control of bleeding						
D21	Ergotamine 1mg+caffeine 100mg			mg		
D22	Ergometrine maleate 0,2 mg			mg		
D23	Ocytocin 10ui/ml, 1ml, for injection			ui		
D24	Misoprostol 20mg			mg		
D25	Dypron, dipyron 250mg/ml, 2ml, injection			mg		
3. Analgesics						
D31	Acetylsalicylic acid, 100mg			mg		
D32	Diazepam, 10mg/2ml, for injection (valium)			mg		
D33	Diclofenac sodium, 75mg/3ml, for injection			mg		
D34	Diclofenac 100mg, rectal suppository			mg		
D35	Butilhisocin, 20g/ml, 1ml, for injection			mg		
D36	Ibuprofen 400mg, film coated			mg		
D37	Metronidazole 500mg (metamizole)			mg		
D38	Paracetamol, tablets, 500mg			mg		
D39	Pethidine hydrochloride 50mg/ml, 1ml, for inj			mg		

PART D : Patients suffering from shock

4. Intravenous fluid replacement					
D41	Ringer lactate, 1000ml, pvc bag			ml	
D42	Glucose isotonic 5%, intravenous solution 500ml, bag/bottle			ml	
D43	Glucose 5% + sodium chloride 0,9% IV, solution 500ml bag/bottle			ml	
D44	Sodium chloride 0,9%, 1000ml, bag			ml	
D45	Polygeline 4%, 500ml (gelofusine, hemacel)			ml	
D46	Dextrose 2,5%+NaCl 0,45%, 1000ml bag			ml	
				ml	
5. Blood transfusion					
D51	Blood, unit, 500ml			unit	
D52	Ferrous sulphate 200mg + folic acid 0,25mg			mg	
6. Lab tests					
D61	Glycemy, PK50			unit	
D62	GS/Rh 200tests, 10 ml			ml	
D63	Blood lancet, disposable			unit	
D64	Blood taking set with needle, disposable			unit	
D65	Ethanol 70% denaturated, 1 liter			ml	
D66	Gauze compresse 5*5cm (per 5 pieces)			unit	
D67	Hemoglobin test			unit	
D68	Hepatitis C rapid test			unit	
D69	Syringe 5ml with bypacked needle 21G			unit	
D610	Ultrasound procedure			unit	
D611	Urine collecting bag 2000ml, with tap and valve			unit	

PART D : Patients suffering from shock

7. Anesthetics/sedatives					
D71	Atropine 1mg/ml, 1ml for injection			mg	
D72	Diazepam, 10mg/2ml, for injection			mg	
D73	Fentanyl 0,1mg/2ml, for injection			mg	
D74	Halothane 250ml			ml	
D75	Ketamine 50mg/ml, 10ml for injection			mg	
D76	Lidocaine HCl 1%, 20ml for injection			ml	
D77	Lidocaine hydrochloride+ epinephrine			ml	
D78	Lidocaine HCl 5%+dextrose 7,5%, 2ml for injection			ml	
D79	Thiopental sodium 1g, powder for injection			mg	
D710	Suxamethonium chloride 100mg/2ml for injection			mg	

PART E : Patients suffering from cervix/vaginal laceration/perforation

N°	Name of input	Percent of outpatients suffering from cervix/vaginal laceration/perforation who received this input 0%=no women 100%=all women	Percent of inpatients suffering from cervix/vaginal laceration/perforation who received this input 0%=no women 100%=all women	Unit (mg =milligram, mcg =microgram, ml =milliliter ui =international unit unit =unit, piece...)	Average number of basic units given per outpatient who receives this input	Average number of basic units given per inpatient who receives this input
E1	Percent of women suffering from cervix/vaginal laceration/perforation who are treated as outpatients 0%=none treated as outpatients 100%=All treated as outpatients	%	%			
1. Anesthetics/sedatives						
E11	Atropine 1mg/ml, 1ml for injection			mg		
E12	Diazepam, 10mg/2ml, for injection			mg		
E13	Fentanyl 0,1mg/2ml, for injection			mg		
E14	Halothane 250ml			ml		
E15	Ketamine 50mg/ml, 10ml for injection			mg		
E16	Lidocaine HCl 1%, 20ml for injection			ml		
E17	Lidocaine hydrochloride+ epinephrine			ml		
E18	Lidocaine HCl 5%+dextrose 7,5%, 2ml for injection			ml		
E19	Thiopental sodium 1g. powder for injection			mg		
E110	Suxamethonium chloride 100mg/2ml for injection			mg		
2. Analgesics						
E21	Acetylsalicylic acid, 100mg			mg		
E22	Diazepam, 10mg/2ml, for injection (valium)			mg		
E23	Diclofenac sodium, 75mg/3ml, for injection			mg		
E24	Diclofenac 100mg, rectal suppository			mg		
E25	Butilhisocin, 20g/ml, 1ml, for injection			mg		

PART E : Patients suffering from cervix/vaginal laceration/perforation

E26	Ibuprofen 400mg, film coated			mg		
E27	Metronidazole 500mg (metamizole)			mg		
E28	Paracetamol, tablets, 500mg			mg		
E29	Pethidine hydrochloride 50mg/ml, 1ml, for inj			mg		
	3. Intravenous fluid replacement					
E31	Ringer lactate, 1000ml, pvc bag			ml		
E32	Glucose isotonic 5%, intravenous solution 500ml, bag/bottle			ml		
E33	Glucose 5% + sodium chloride 0,9% IV, solution 500ml bag/bottle			ml		
	4. Operating theater supplies					
E41	Seringe 10ml, with bypacked needle 21G			ml		
E42	Seringe 60ml+catheter			ml		
E43	Gloves examination, latex, large,disposable			unit		
E44	Needle, disposable 21G*1.1/2 (0,8*38mm)			unit		
E45	Needle, disposable 18G*1.1/2 (1,2*38mm)			unit		
E46	Suture silk (0) 75cm with needle 30.0mm			cm		
E47	Cotton wool, 500g			mg		
E48	Gauze compresse 5*5cm, 12ply, non sterile			unit		
E49	Ethanol (alcool) 70%, denaturated, 1liter			ml		
E410	Povidone iodone solution 0,1 ; 200ml			ml		
E411	Tetanus vaccine 20doses/ unit			unit		
	5. Lab tests					
E51	Glycemy, PK50			unit		
E52	GS/Rh 200tests, 10 ml			ml		
E53	Blood lancet, disposable			unit		
E54	Blood taking set with needle, disposable			unit		
E55	Ethanol 70% denaturated, 1 liter			ml		
E56	Gauze compresse 5*5cm (per 5 pieces)			unit		

E57	Hemoglobin test			Unit		
E58	Hepatitis C rapid test			Unit		
E59	Syringe 5ml with bypacked needle 21G			Unit		
E510	Ultrasound procedure			Unit		
E511	Urine collecting bag 2000ml, with tap and valve			Unit		
	6. Antibiotics					
E61	Amoxicillin 500mg			mg		
E62	Ampicillin, 1gram, powder for injection			mg		
E63	Ampicillin, tablets, 500mg			mg		
E64	Ceftriaxon, 1g, powder for injection			mg		
E65	Chloramphenicol, 1g, injection			mg		
E66	Ciprofloxacin, 500mg			mg		
E67	Doxycycline 100mg			mg		
E68	Gentamycin 80mg/2ml for injection			mg		
E69	Metronidazole injection 5mg/ml, 100ml			mg		
E610	Metronidazole 500mg vaginal			mg		
	7. Others					
E71	Tetanus vaccine 20 doses/ unit			unit		
E72	Ferrous sulphate 200mg + folic acid 0,25mg			mg		
E73	Dypron, Dipyrone 250mg/ml, 2ml, injection			mg		

PART F : Patients suffering from uterus laceration/perforation

N°	Name of input	Percent of outpatients suffering from uterus laceration/perforation who received this input 0%=no women 100%=all women	Percent of inpatients suffering from uterus laceration/perforation who received this input 0%=no women 100%=all women	Unit (mg =milligram, mcg =microgram, ml =milliliter ui =international unit unit =unit, piece...)	Average number of basic units given per outpatient who receives this input	Average number of basic units given per inpatient who receives this input
F1	Percent of women suffering from uterus laceration/perforation who are treated as outpatients 0%=none treated as outpatients 100%=All treated as outpatients	%	%			
1. Anesthetics/sedatives						
F11	Atropine 1mg/ml, 1ml for injection			mg		
F12	Diazepam, 10mg/2ml, for injection			mg		
F13	Fentanyl 0,1mg/2ml, for injection			mg		
F14	Halothane 250ml			ml		
F15	Ketamine 50mg/ml, 10ml for injection			mg		
F16	Lidocaine HCl 1%, 20ml for injection			ml		
F17	Lidocaine hydrochloride+ epinephrine			ml		
F18	Lidocaine HCl 5%+dextrose 7,5%, 2ml for injection			ml		
F19	Thiopental sodium 1g. powder for injection			mg		
F110	Suxamethonium chloride 100mg/2ml for injection			mg		
2. Analgesics						
F21	Acetylsalicylic acid, 100mg			mg		
F22	Diazepam, 10mg/2ml, for injection (valium)			mg		
F23	Diclofenac sodium, 75mg/3ml, for injection			mg		
F24	Diclofenac 100mg, rectal suppository			mg		
F25	Butilhisocin, 20g/ml, 1ml, for injection			mg		

PART F : Patients suffering from uterus laceration/perforation

F26	Ibuprofen 400mg, film coated			mg		
F27	Metronidazole 500mg (metamizole)			mg		
F28	Paracetamol, tablets, 500mg			mg		
F29	Pethidine hydrochloride 50mg/ml, 1ml, for inj			mg		
	3. Intravenous fluid replacement					
F31	Ringer lactate, 1000ml, pvc bag			ml		
F32	Glucose isotonic 5%, intravenous solution 500ml, bag/bottle			ml		
F33	Glucose 5% + sodium chloride 0,9% IV, solution 500ml bag/bottle			ml		
F34	Polygeline 4%, 500ml (gelofusine)			ml		
F35	Sodium chloride 0,9%, 1000ml bag			ml		
	4. Operating theater supplies					
F41	Seringe 10ml, with needle 21G*1,5 inch			ml		
F42	Seringe 60ml+catheter, disposable			ml		
F43	Gloves examination, latex, large,disposable			unit		
F44	Needle, disposable 21G*1.1/2 (0,8*38mm)			unit		
F45	Needle, disposable 18G*1.1/2 (1,2*38mm)			unit		
F46	Suture silk (0) 75cm with needle 30.0mm			cm		
F47	Cotton, 500g			mg		
F48	Suture silk vicryl (3/0) 2*70cm			unit		
F49	Suture silk vicryl (3/0), 70cm, 17,5mm			cm		
F410	Suture needles assorted sizes			unit		
F411	Gauze compresse 5*5cm, 12ply, non sterile			unit		
F412	Ethanol (alcool) 70%, denaturated, 1liter			ml		
F413	Povidone iodine solution 0,1 ; 200ml			ml		
F414	Epinephrine (adrenaline) 1mg/ml, 1ml, injection			mg		
F415	Water for injection, 10ml			ml		
F416	Blood, (one unit=500ml)			unit		
F417	Oxygen			ml		
F418	Tetanus vaccine 20 doses (unit)			unit		

PART F : Patients suffering from uterus laceration/perforation

F419	Cetrimide 15% + chlorhexidine gluconate 1,5%, 1l			ml		
5. Supplies for laparotomy						
F51	Gloves examination, latex, large, disposable			Unit		
F52	Sanitary pad			unit		
F53	Gauze compresses 100cm, 12 ply, sterile per piece			cm		
F54	Cotton swab			Unit		
F55	Suture silk 75cm with needle 30mm			Unit		
F56	Drapes in strong cotton 1,5m ²			unit		
6. Lab tests						
F61	Glycémie, PK50			Unit		
F62	GS/Rh 200tests, 10 ml			ml		
F63	Blood lancet, disposable			Unit		
F64	Blood taking set with needle, disposable			Unit		
F65	Ethanol 70% denaturated, 1 liter			ml		
F66	Gauze compresse 5*5cm (per 5 pieces)			Unit		
F67	Hemoglobin test			Unit		
F68	Hepatitis C rapid test			Unit		
F69	Syringe 5ml with bypacked needle 21G			Unit		
F610	Ultrasound procedure			unit		
F611	Urine collecting bag 2000ml, with tap and valve			unit		
7. Antibiotics						
E61	Amoxicillin 500mg			mg		
E62	Ampicillin, 1gram, powder for injection			mg		
E63	Ampicillin, tablets, 500mg			mg		
E64	Ceftriaxon, 1g, powder for injection			mg		

E65	Chloramphenicol, 1g, injection			mg		
E66	Ciprofloxacin, 500mg			mg		
E67	Doxycycline 100mg			mg		
E68	Gentamycine 80mg/2ml for injection			mg		
E69	Metronidazole injection 5mg/ml, 100ml			mg		
E610	Metronidazole 500mg vaginal			mg		
	8. Others					
E71	Tetanus vaccine 20 doses/ unit			unit		
E72	Ferrous sulphate 200mg + folic acid 0,25mg			mg		
E73	Dypron, Dipyrone 250mg/ml, 2ml, injection			mg		